ELSEVIER

Aquaculture 186 (2000) 361–363

Aquaculture

www.elsevier.nl/locate/aqua-online

Contents of *Aquaculture*, Volume 186

VOL. 186 NOS. 1, 2 **1 June 2000**

Genetics and Breeding

Single and joint gene segregation in intraspecific hybrids of brown trout (*Salmo trutta* L.) lineages
C. Poteaux (Montpellier, France), R. Guyomard (Jouy-en-Josas, France) and P. Berrebi (Montpellier, France) 1

Triploid catarina scallop (*Argopecten ventricosus* Sowerby II, 1842): growth, gametogenesis, and suppression of functional hermaphroditism
C.A. Ruiz-Verdugo, J.L. Ramírez (Baja California Sur, Mexico), S.K. Allen Jr. (Gloucester Point, VA, USA) and A.M. Ibarra (Baja California Sur, Mexico) 13

Husbandry and Management

Geometric morphometrics and internal anatomy in sea bass shape analysis (*Dicentrarchus labrax* L., Moronidae)
A. Loy, C. Boglione, F. Gagliardi, L. Ferrucci and S. Cataudella (Rome, Italy) 33

The impacts of grazing by tilapias (*Oreochromis niloticus* L.) on periphyton communities growing on artificial substrate in cages
S.M.H. Huchette, M.C.M. Beveridge, D.J. Baird (Scotland, UK) and M. Ireland (Dhaka, Bangladesh) 45

An evaluation of the use of triploid Atlantic salmon (*Salmo salar* L.) in minimising the impact of escaped farmed salmon on wild populations
D. Cotter, V. O'Donovan (Newport, Ireland), N. O'Maoiléidigh (Abbotstown, Ireland), G. Rogan (Newport, Ireland), N. Roche and N.P. Wilkins (Galway, Ireland) 61

Effect of broodfish exchange strategy on the spawning performance and sex steroid hormone levels of *Oreochromis niloticus* broodfish in hapas
D.C. Little (Pathumthani, Thailand; Scotland, UK), K. Coward (Scotland, UK), R.C. Bhujel (Pathumthani, Thailand), T.A. Pham (Pathumthani, Thailand; Bac Ninh, Viet Nam) and N.R. Bromage (Scotland, UK) 77

Nutrition

Protein digestion in penaeid shrimp: digestive proteinases, proteinase inhibitors and feed digestibility
D. Lemos (São Paulo, Brazil), J.M. Ezquerra (Sonora, Mexico) and F.L. Garcia-Carreño (La Paz, Mexico) 89

Protein digestion in juvenile turbot (*Scophthalmus maximus*) and effects of dietary administration of *Vibrio proteolyticus*
R. De Schrijver and F. Ollevier (Leuven, Belgium) 107

Ecophysiological model of growth and reproduction of the black pearl oyster, *Pinctada margaritifera*: potential applications for pearl farming in French Polynesia
S. Pouvreau (L'Houmeau, France; Tahiti, French Polynesia), C. Bacher and M. Héral (L'Houmeau, France) 117

Dietary protein requirement of juvenile American eel (*Anguilla rostrata*) fed practical diets
S.M. Tibbetts (Nova Scotia, Halifax, Nova Scotia, Canada), S.P. Lall (Halifax, Nova Scotia, Canada) and D.M. Anderson (Nova Scotia, Canada) 145
Incorporation of different fatty acids, supplied as emulsions or liposomes, in the polar and neutral lipids of *Crassostrea gigas* spat
M. Caers, P. Coutteau and P. Sorgeloos (Gent, Belgium) 157

VOL. 186 NOS. 3, 4 **15 June 2000**

Diseases, Parasites and Predators

Pharmacokinetics of oxytetracyline in Arctic charr (*Salvelinus alpinus* L.) in freshwater at low temperature
T. Haug (Tromsø, Norway) and P.A. Hals (Oslo, Norway) 175
Measures applied to control *Renibacterium salmoninarum* infection in Atlantic salmon: a retrospective study of two sea ranches in Iceland
S. Guðmundsdóttir, S. Helgason, H. Sigurjónsdóttir, S. Matthíasdóttir, H. Jónsdóttir (Reykjavík, Iceland), B. Laxdal (Garðabær, Iceland) and E. Benediktsdóttir (Reykjavík, Iceland) 193
Field trials to evaluate the efficacy of emamectin benzoate in the control of sea lice, *Lepeophtheirus salmonis* (Krøyer) and *Caligus elongatus* Nordmann, infestations in Atlantic salmon *Salmo salar* L.
J. Stone (Stirling, UK), I.H. Sutherland (Edinburgh, UK), C. Sommerville, R.H. Richards (Stirling, UK) and K.J. Varma (Union, NJ, USA) 205
Treatment of trichodiniasis in eel (*Anguilla anguilla*) reared in recirculation systems in Denmark: alternatives to formaldehyde
H.C.K. Madsen, K. Buchmann and S. Mellergaard (Frederiksberg, Denmark) 221

Genetics and Breeding

Effects of ultraviolet irradiation on genetical inactivation and morphological structure of sperm of the Japanese scallop, *Patinopecten yessoensis*
Q. Li, M. Osada (Miyagi, Japan), M. Kashihara, K. Hirohashi (Tokyo, Japan) and A. Kijima (Miyagi, Japan) 233
Factors influencing fish prices in Southern Malawi
R.E. Brummett (Cairo, Egypt) 243

Husbandry and Management

Influence of daylength on growth, heterogeneity, gonad development, sexual steroid and thyroid levels, and N and P budgets in *Perca fluviatilis*
S. Jourdan, P. Fontaine (Nancy, France), T. Boujard (Saint-Pée-sur-Nivelle, France), E. Vandeloise (Namur, Belgium), J.N. Gardeur (Nancy, France), M. Anthouard (Strasbourg, France) and P. Kestemont (Namur, Belgium) 253
Assessment of depuration system and duration on gut evacuation rate and mortality of red swamp crawfish
W.R. McClain (Crowley, LA, USA) 267
A sustainable integrated system for culture of fish, seaweed and abalone
A. Neori, M. Shpigel and D. Ben-Ezra (Elat, Israel) 279

Nutrition

Replacement of fish meal in diets for Australian silver perch, *Bidyanus bidyanus*: I. Digestibility of alternative ingredients
G.L. Allan, S. Parkinson, M.A. Booth, D.A.J. Stone (Taylors Beach, NSW, Australia), S.J. Rowland (Grafton, NSW, Australia), J. Frances and R. Warner-Smith (Taylors Beach, NSW, Australia) 293

Replacement of fish meal in diets for Australian silver perch, *Bidyanus bidyanus* III. Digestibility and growth using meat meal products
D.A.J. Stone, G.L. Allan, S. Parkinson (Taylors Beach, NSW, Australia) and S.J. Rowland (Grafton, NSW, Australia) 311
Replacement of fish meal in diets for Australian silver perch, *Bidyanus bidyanus* V. Least-cost formulation of practical diets
G.L. Allan (Taylors Beach, NSW, Australia), S.J. Rowland, C. Mifsud (Grafton, NSW, Australia), D. Glendenning, D.A.J. Stone (Taylors Beach, NSW, Australia) and A. Ford (Hamilton, Qld, Australia) 327
Effects of methionine, cysteine and medium chain triglycerides on nutrient digestibility, absorption of amino acids along the intestinal tract and nutrient retention in Atlantic salmon (*Salmo salar* L.) under pair-feeding regime
S. Nordrum (Trondheim, Norway), Å. Krogdahl (Oslo, Norway), C. Røsjø (Ås, Norway), J.J. Olli (Trondheim, Norway) and H. Holm (Oslo, Norway) 341

Contents of *Aquaculture*, Volume 186 361